

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	924	(remote adj access) with authenticat\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 15:54
S2	68	S1 and (operat\$4 adj system OS) and (BIOS basic adj input adj output adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 15:56
S3	1	"20060200681"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 16:52
S4	392	S1 and (user adj interface)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 16:56
S5	47	S4 and (power near2 supply)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 16:57
S6	10171	(remote adj access) and server and memories	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 17:06
S7	4456	S6 and authenticat\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 17:06
S8	3374	S7 and display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/09 17:08
S12	925	(remote adj access) with authenticat\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:01
S13	393	S12 and (user adj interface)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:01
S14	357	S13 and (multiple adj memories or memories)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:01

S15	153	S14 and storage adj medium	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:02
S16	318	S14 and (storage adj medium or media)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:02
S17	141	S16 and non\$1volatile	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:03
S18	511	client near2 server and (multiple adj memories)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:13
S19	491	S18 and interface	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:13
S20	30	S19 and remote adj access	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 10:14
S29	47	("5483466" "5495533" "5539885" "5548729" "5548753" "5566069" "5594661" "5594921" "5644404" "5657447" "5710884" "5717598" "5720036" "5724522" "5732218" "5745681" "5751941" "5751958" "5752244" "5768566" "5778368" "5796934" "5826267" "5832211" "5842211" "5854889" "5857187" "5857190" "5875296" "5881232" "5889958" "5910796" "5913030" "5918228" "5925100" "5926180" "5930786" "5933593" "5949415" "5960449" "5963950" "5966135" "5966705" "5974407" "5974461" "5983228" "6003047").pn.	US-PGPUB; USPAT	OR	ON	2008/10/14 12:59
S31	20	S12 and ic adj card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 13:49
S32	446	S12 and client near2 server	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 14:03
S33	11	S32 and ic adj card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 14:04
S35	12	multifunctional adj memory adj card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 15:43

S37	15806	(remote adj access) and (memory areas)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 16:11
S38	1044	(storage adj medium) same (client adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 16:18
S39	63	S37 and S38	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 16:18
S40	1	"6438550".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/14 16:28
S41	42175	(os operating adj system) and (boot or bootable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:20
S42	31	(os operating adj system) and ((boot or bootable) near2 (memory adj card))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:21
S43	502	((Memory or IC or smart) near3 card) same (Authenti\$6 or verif\$7 or authori\$6 or validat\$3) same Remote same (Access\$3 or login or logon) same (Server or computer or node or main\$1frame\$1 or process\$1r\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:46
S44	2329	(Anti\$1tamper\$3 or static or secur\$3) same Non\$1volatile same (Memory or storage or RAM or ROM) same ((Memory or IC or smart) near3 card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:47
S45	59	S43 and S44	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:47
S46	2082	S44 and two	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:51
S47	165	S44 same two	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:51
S48	23	S43 and S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 08:52
S49	36	S45 not S48	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:01

S50	1	((Memory or IC or smart) near3 card) and (Authenti\$6 or verif\$7 or authori\$6 or validat\$3) and Remote and (Access\$3 or login or logon) and (Server or computer or node or main\$1frame\$1 or process\$1r\$1) and (Anti\$1tamper\$3 or static or secur\$3) and Non\$1volatile	EPO; JPO; DERWENT	OR	ON	2008/10/29 09:11
S51	106257	((Memory or IC or smart) near3 card) and 713/193.ccls. or 711/163-164.ccls. or 709/212,217-219,227-229.ccls. or "375".clas.) not S45	US-PGPUB; USPAT	OR	ON	2008/10/29 09:20
S52	24444	((Memory or IC or smart) near3 card) and 713/193.ccls. or 711/163-164.ccls. or 709/212,217-219,227-229.ccls.) not S45	US-PGPUB; USPAT	OR	ON	2008/10/29 09:20
S53	23503	((Memory or IC or smart) near3 card) same (Anti\$1tamper\$3 or static) same Non\$1volatile) and 713/193.ccls. or 711/163-164.ccls. or 709/212,217-219,227-229.ccls.) not S45	US-PGPUB; USPAT	OR	ON	2008/10/29 09:22
S54	23500	((IC or smart) near3 card) same (Anti\$1tamper\$3) same Non\$1volatile) and 713/193.ccls. or 711/163-164.ccls. or 709/212,217-219,227-229.ccls.) not S45	US-PGPUB; USPAT	OR	ON	2008/10/29 09:23
S55	0	((IC or smart) near3 card) same (Anti\$1tamper\$3) same Non\$1volatile) and (711/163-164.ccls. or 709/212,217-219,227-229.ccls.) not S45	US-PGPUB; USPAT	OR	ON	2008/10/29 09:26
S56	2477	713/193.ccls.	US-PGPUB; USPAT	OR	ON	2008/10/29 09:28
S57	54	S44 and S56	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:29
S58	427	((Multi\$1function\$3 or IC or smart) near3 card) same (Authenti\$6 or verif\$7 or authori\$6 or validat\$3) same Remote same (Access\$3 or login or logon) same (Server or computer or node or main\$1frame\$1 or process\$1r\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:44
S59	124	(Anti\$1tamper\$3 or static) same Non\$1volatile same (Memory or storage or RAM or ROM) same ((Multi\$1function\$3 or IC or smart) near3 card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:45
S60	2	S58 and S59	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:45
S61	86	(smart\$1card\$1) same (Authenti\$6 or verif\$7 or authori\$6 or validat\$3) same Remote same (Access\$3 or login or logon) same (Server or computer or node or main\$1frame\$1 or process\$1r\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:47
S62	11	(Anti\$1tamper\$3 or static) same Non\$1volatile same smart\$1card\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:48

S63	0	S61 and S62	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/29 09:48
S64	39	("5929414", "20020177407,6434403,7344074,6776339".pn.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:15
S65	0	("5929414,20020177407,6434403,7344074,6776339".pn.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:16
S66	1	"5929414".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:16
S67	1	"20020177407".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:17
S68	1	"6434403".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:17
S69	1	"7344074".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:18
S70	1	"6776339".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:19
S71	1	"20060200681".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:24
S72	1482	(remote adj access) and (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:42
S73	725	S72 and (server same client) and (wire wireless)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:43
S74	612	S73 and (OS operating adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:46
S75	2	S74 and (non\$1volatile) same (anti\$1tampering tamper\$1resistant)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:47

S76	234	S74 and (non\$1volatile)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:48
S77	203	S76 and authenticat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/30 17:49
S78	1	(remote adj access adj system) same (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 08:52
S79	41	(remote near3 access near3 system) same (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 08:54
S80	7840	(server) same (client) and (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:12
S81	714	(remote near3 access near3 system) and (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:13
S82	19	S81 and (anti\$1tampering tamper\$1resistant)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:15
S83	38	"5878134"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:22
S84	1	"5878134".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:22
S85	13	"713"/\$.cls. and (remote near3 access near3 system) same (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:23
S86	1	"3798605".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:32
S87	1	"5065429".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:32
S88	1	"5191611".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 09:34

S89	18821	(remote near3 access) and (server) and (client)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 10:36
S90	1789	S89 and (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 10:36
S91	33	S90 and (non\$1volatile) and (anti\$1tampering tamper\$1resistant)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 10:37
S92	1	"20030236889".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/10/31 10:53
S93	1	"6775776".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/04 16:12
S94	1	"6125054".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/04 16:13
S95	6	prioritiz\$5 near3 access with memory adj (storage area region)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/04 16:14
S96	39	prioritiz\$5 near3 access and (smart adj card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/04 16:16
S97	19	"6115819"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/04 16:25
S98	1	"6115819".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/04 16:25
S99	1	"20030226029".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/04 16:26
S100	1	"20060200681".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/05 09:23

S105	2	"4652993".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/05 11:08
S106	343	prioritiz\$5 near3 access with device	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/05 11:11
S107	22	prioritiz\$5 near3 access with device same storage	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/05 11:11
S108	4	prioritiz\$5 near3 access same (non\$volatile)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/05 11:27
S109	92	(prioritiz\$5 sequence) near3 access same (non\$volatile)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/05 11:29
S110	261	(remote adj access) and (power adj supply) same server same device	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/05 11:45
S111	4	(remote adj access) and (power adj supply) same server same (client adj device)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2008/11/05 11:46
S112	1	"5652892".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/06 10:02
S113	43788	(os operating adj system) with switch\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/06 10:42
S114	129	S113 and (smartcard smart\$1card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/06 10:43
S115	12	S113 same (smartcard smart\$1card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/06 10:45

S116	1	(smartcard smart\$1card) with (os operating adj system) adj program	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/06 10:48
S117	0	(smartcard smart\$1card) with (boot boot\$4) adj program	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/06 10:49
S118	1	"6920561".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 08:37
S119	1	"20060200681".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 10:24
S120	38331	(OS operat\$3 adj system) with switch	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 10:28
S121	82	S120 and (smart\$1card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 10:29
S122	253	(OS operating adj system) near3 (smart\$card)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 10:34
S123	1	"6260140".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 11:04
S124	1	"6727920".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 13:55
S125	1	"6144969".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 13:58
S126	1	"6032239".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 13:59
S127	1	"5887163".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:00
S128	1	"5845282".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:05

S129	73	((boot\$3 run\$4) same (os operating adj system) with smart\$card) and (boot\$3 run\$4) same (os operating adj system) with computer	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:08
S130	29	(choos\$3 boot\$3 run\$3) same ((os operating adj system) with smart\$card) and (os operating adj system) with (pc client adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:20
S131	19	(multiple near3 boot\$3) and smart\$card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:22
S132	980	(multiple near3 boot\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:24
S133	0	(multiple near3 boot\$3) same smart\$1card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:24
S134	220	(os operating adj system) with configur\$5 same (setting near3 parameters)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:28
S135	1	"6757824".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:35
S136	1	"6945454".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:50
S137	0	smart\$1card same ((multi\$1boot\$3) adj operating adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:51
S138	0	smart\$1card same ((multi\$1boot\$3) near3 operating adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 14:52
S139	226454	(choos\$3 select\$3 identif\$3 switch\$3) with(os operating adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:04
S140	226454	(choos\$3 select\$3 identif\$3 switch\$3) with (os (operating adj system))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:05
S141	43788	(switch\$3) with (os (operating adj system))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:06

S142	8030	(switch\$3) with (operating adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:06
S143	546	(switch\$3) with (operating adj system) with storage	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:07
S144	4	(switch\$3) with (operating adj system) with smart\$1card	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:07
S145	428	(switch) with (operating adj system) with storage	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:08
S146	51	(switch) near2 (operating adj system) with storage	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:08
S147	1	"5430845".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 15:51
S148	121	S134 and switch	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 16:17
S149	14	S134 and (switch) near3 (operating adj system)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 16:18
S150	1	"6690400".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 16:36
S151	1	"7356677".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 16:37
S152	1	"6088794".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 16:42
S153	1	"20070083750".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/10 17:43
S154	1	"6088794".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 08:28

S155	1	"5526519".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 14:23
S156	1	"7010809".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 14:39
S157	1	"20020131594".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 14:40
S158	1	"20040010467".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 14:41
S159	199280	(copy\$3 transfer\$4 transmi\$5) near5 (data information) near5 (storage memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:26
S160	20219	(copy\$3) near5 (data information) near5 (storage memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:26
S161	1038	S160 and "713"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:27
S162	434	S160 and "726"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:27
S163	368	S160 and "380"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:27
S164	1135	(copy\$3) near5 (data information) near5 ((primary secondary) adj2 (storage memory))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:28
S165	23	S164 and "713"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:29
S166	0	(copy\$3) near5 ((authentication) adj (information data)) near5 ((primary secondary) adj2 (storage memory))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:34
S167	0	(copy\$3) near5 ((authentication) near3 (information data)) near5 ((primary secondary) adj2 (storage memory))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:34

S168	0	(copy\$3) near5 ((authenticat\$3 author\$5) near3 (information data)) near5 ((primary secondary) adj2 (storage memory))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:35
S169	0	(copy\$3) near5 (authenticat\$3 author\$5) near5 ((primary secondary) adj2 (storage memory))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:35
S170	0	(transfer\$5) near5 (authenticat\$3 author\$5) near5 ((primary secondary) adj2 (storage memory))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:36
S171	1	"20030031319".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:37
S172	0	"67151000".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:40
S173	1	"6715100".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:40
S174	1	"6675258".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:41
S175	1	"5729761".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:42
S176	1	"5699504".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:42
S177	108217	(transfer\$4) near5 (data information) near5 (storage memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:46
S178	4060	(duplicat\$3) near5 (data information) near5 (storage memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:46
S179	6	(duplicat\$3) near5 ((authenticat\$3 author\$5) adj (information data)) near5 (storage memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/12 17:47
S180	1	"20030031319".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 08:17

S181	1	"20040025040".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 08:31
S182	1	"6539468".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 08:34
S183	1	"6748539".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 08:40
S184	1	"6832319".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 08:41
S185	1	"6865552".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 08:55
S186	1	"6987854".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:05
S187	1	"5835601".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:06
S188	993	((retain\$3) near3 (copy\$3)) with (information data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:08
S189	726	((retain\$3) near3 (copy\$3)) with (data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:08
S190	619	((retain\$3) near2 (copy\$3)) with (data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:08
S191	321	((retain\$3) near2 (copy\$3)) near2 (data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:09
S192	0	((retain\$3) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj data	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:09
S193	4	((retain\$3) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj information	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:10

S194	0	((keep) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj information	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:16
S195	6	((maintain save) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj information	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:16
S196	6	((maintain save) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj (information data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:18
S197	4	((retain) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj (information data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:18
S198	0	((keep) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj (information data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:18
S199	0	((hold preserve) near2 (copy\$3)) near2 (authenticat\$3 authoriz\$5) adj (information data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 09:18
S200	17247	(remote adj access)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 10:36
S201	7	S200 and 380/232.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 10:37
S202	123	S200 and 713/1-2.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 10:37
S203	55	(multi adj boot)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 10:42
S204	5642	713/1-2,100.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 10:42
S205	28	S204 and (multi\$1boot\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 10:42
S206	5979	S200 and authenticat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:06

S207	944	S200 with authenticat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:06
S208	1	S207 and 380/232.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:06
S209	157	S200 and 713/168,171.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:08
S210	1121	713/156.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:09
S211	57	S200 and S210	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:09
S212	831	713/185.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:09
S213	45	S212 and S200	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:09
S214	61	713/186.ccls. and S200	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 11:10
S215	14	(copy\$) near5 (authenticat\$3 authoriz\$5) adj (information data) with (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:12
S216	1	(copy\$) near5 (authenticat\$3 authoriz\$5) adj (information data) with (memory near3 area)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:16
S217	344	(copy\$) near5 (authenticat\$3 authoriz\$5) adj (information data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:16
S218	0	(copy\$) near5 (authenticat\$3 authoriz\$5) adj (information data) with (storage adj area)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:17
S219	35	(copy\$) near5 (authenticat\$3 authoriz\$5) adj (information data) with (storage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:17

S220	1	((retain\$3) near3 (copy)) near5 (authenticat\$3 authoriz\$5) adj (information data) with (storage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:21
S221	32	((copy\$3) near5 (authenticat\$3 authoriz\$5)) adj (information data) with (storage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:22
S222	21	((access near3 restrict\$4) with (os operating adj system)) with authenticat\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:26
S223	37	((access near3 restrict\$4) with (os operating adj system)) same authenticat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:28
S224	763	((access near3 restrict\$4) with (os operating adj system))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:30
S225	323	S224 and authenticat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:31
S226	37	S224 same authenticat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:31
S227	59	S224 and (remote adj access)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:32
S228	37	((access near3 restrict\$4) with (os operating adj system)) same authenticat\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:42
S229	2	((access near3 restrict\$4) with (os operating adj system)) same (authenticat\$3 adj information)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:42
S230	1	((access near3 restrict\$4) with (os operating adj system)) same (cancel\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 15:44
S231	47	((access near3 restrict\$4) with (os operating adj system)) with (authoriz\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:00
S232	175	((access adj restrict\$4) with (os operating adj system))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:02

S233	18	S232 with authoriz\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:02
S234	1	"5923842".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:04
S235	1	"5265163".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:08
S236	2	((copy\$3) near3 (authenticat\$3 authoriz\$5) adj (information data)) with (stor\$3) near3 memory	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:17
S237	4	((copy\$3) near3 (authenticat\$3 authoriz\$5) adj (information data)) with (stor\$3) near3 storage	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:21
S238	4	((store) near3 (authenticat\$3 authoriz\$5) adj (information data)) same (primary secondary) adj storage	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:25
S239	9	((allow\$3) with (copy\$3)) with (authenticat\$3 adj information) and (memory storage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 16:31
S240	1	"20030196089".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/11/13 17:56

11/18/2008 3:10:11 PM

C:\Documents and Settings\pvu3\Desktop\East Searches\10566943.wsp